




CAT TOOTH PROFILE GUIDE




SHORT




LONG




HEAVY LONG




PENETRATOR




ROCK
PENETRATOR




TIGER




TWIN TIGER




ABRASION




TWIN TIGER - R



ROCK CHISEL




SYL



FLARE


CAT TOOTH PROFILE GUIDE



*LONG
(TYPE 1)*

Series	ItemNumber	Style	ProductLine	ItemDescription	Weight	A	B	C	D	Pin	Lock
J200	1U3202		CAT	LONG	2.9	5-3/4 (146)	2 (51)	1-9/16 (40)	1-27/32 (47)	9W7112 8E6208 1U4208	8E6209 4T0001
J225	6Y3222		CAT	LONG	4.5	6-5/8 (168)	2-1/4 (57)	1-15/16 (49)	2-11/32 (60)	6Y3228	8E6259 3G9609
J250	1U3252		CAT	LONG	6.4	7-1/2 (191)	2-9/16 (65)	2-5/32 (55)	2-11/16 (68)	8E6208 9J2258	8E6259 3G9609
J300	1U3302		CAT	LONG	9.5	8-9/16 (217)	3 (76)	2-5/8 (67)	3-1/32 (77)	9J2308	8E6259 3G9549
J350	1U3352		CAT	LONG	14.1	9-1/2 (241)	3-1/2 (89)	2-15/16 (75)	3-5/16 (84)	8E6358 9J2358	8E6359 3G9549 6Y9459
J400	7T3402		CAT	LONG	20.6	10-1/2 (267)	4-1/4 (108)	3-15/32 (88)	3-21/32 (93)	7T3408	8E8409 7T3409
J460	1U3452		CAT	LONG	26.0	11-3/8 (289)	4-5/8 (117)	3-7/8 (98)	3-29/32 (99)	8E0468 6Y2527 1U1458	8E8469 6Y9459 3G9549
J550	1U3552		CAT	LONG	40.7	13-3/16 (335)	5-3/4 (146)	4-11/16 (119)	4-11/32 (110)	8E5558 6Y8558 1U1558	8E5559 3G9549
J550	9W8552		CAT	LONG	40.6	13-3/16 (335)	5-3/4 (146)	4-11/16 (119)	4-11/32 (110)	8E5558 6Y8558 1U1558	8E5559 3G9549
J600	6I6602		CAT	LONG	71.3	15 (381)	6-1/2 (165)	5-5/8 (143)	5-7/32 (133)	6I6608	6I6609
J700	4T4702		CAT	LONG	84.0	16-1/2 (419)	7-1/8 (181)	6 (152)	5-11/16 (144)	4T4708	4T4707


CAT TOOTH PROFILE GUIDE



TIGER

Series	ItemNumber	Style	ProductLine	ItemDescription	Weight	A	C	D	Pin	Lock
J300	1U3302TL		CAT	TIGER	10.1	9-1/2 (241)	2-5/8 (67)	3-1/32 (77)	9J2308	8E6259 3G9549
J225	6Y3222T		CAT	TIGER	4.3	7-7/8 (200)	1-15/16 (49)	2-11/32 (60)	6Y3228	8E6259 3G9609
J225	6Y3222TL		CAT	TIGER	4.6	7-7/8 (200)	1-15/16 (49)	2-11/32 (60)	6Y3228	8E6259 3G9609
J550	1U3552TL		CAT	TIGER	35.0	15 (381)	4-11/16 (119)	4-11/32 (110)	8E5558 6Y8558 1U1558	8E5559 3G9549
J600	6I6602TL		CAT	TIGER	71.7	18 (475)	5-5/8 (143)	5-7/32 (133)	6I6608	6I6609
J200	1U3202TL		CAT	TIGER LONG	2.4	6-1/2 (165)	1-9/16 (40)	1-27/32 (47)	9W7112 8E6208 1U4208	8E6209 4T0001
J250	1U3252TL		CAT	TIGER LONG	6.2	8 (203)	2-5/32 (55)	2-11/16 (68)	8E6208 9J2258	8E6259 3G9609
J350	1U3352TL		CAT	TIGER LONG	14.3	11-1/4 (286)	2-15/16 (75)	3-5/16 (84)	8E6358 9J2358	8E6359 3G9549 6Y9459
J400	7T3402TL		CAT	TIGER LONG	21.8	12-1/2 (318)	3-15/32 (88)	3-21/32 (93)	7T3408	8E8409 7T3409
J460	1U3452TL		CAT	TIGER LONG	28.4	14-1/16 (357)	3-7/8 (98)	3-29/32 (99)	8E0468 6Y2527 1U1458	8E8469 6Y9459 3G9549


CAT TOOTH PROFILE GUIDE



TWIN TIGER

Series	ItemNumber	Style	ProductLine	ItemDescription	Weight	A	C	D	Pin	Lock
J300	1U3302WTL		CAT	TWIN TIGER	11.0	9-1/2 (241)	2-5/8 (67)	3-1/32 (77)	9J2308	8E6259 3G9549
J550	1U3552WTL		CAT	TWIN TIGER	39.4	15 (381)	4-11/16 (119)	4-11/32 (110)	8E5558 6Y8558 1U1558	8E5559 3G9549
J225	6Y3222WTL		CAT	TWIN TIGER	5.5	7-7/8 (200)	1-15/16 (49)	2-11/32 (60)	6Y3228	8E6259 3G9609
J250	1U3252WTL		CAT	TWIN TIGER	7.5	8 (203)	2-5/32 (55)	2-11/16 (68)	8E6208 9J2258	8E6259 3G9609
J250	135-8258		CAT	FORGED TWIN TIGER	7.3	8 (203)	2-5/32 (55)	2-11/16 (68)	8E6208 9J2258	8E6259 3G9609
J600	6I6602WTL		CAT	TWIN TIGER	79.0	18 (475)	5-5/8 (143)	5-7/32 (133)	6I6608	6I6609
J200	1U3202WTL		CAT	TWIN TIGER LONG	2.9	6-1/2 (165)	1-9/16 (40)	1-27/32 (47)	9W7112 8E6208 1U4208	8E6209 4T0001
J350	1U3352WTL		CAT	TWIN TIGER LONG	15.5	11-1/4 (286)	2-15/16 (75)	3-5/16 (84)	8E6358 9J2358	8E6359 3G9549 6Y9459
J400	7T3402WTL		CAT	TWIN TIGER LONG	25.0	12-1/2 (318)	3-15/32 (88)	3-21/32 (93)	7T3408	8E8409 7T3409
J460	1U3452WTL		CAT	TWIN TIGER LONG	32.6	14-1/16 (357)	3-7/8 (98)	3-29/32 (99)	8E0468 6Y2527 1U1458	8E8469 6Y9459 3G9549


CAT TOOTH PROFILE GUIDE



FLARE

Series	ItemNumber	ProductLine	ItemDescription	Weight	A	B	C	D	Pin	Lock
J250	3G8250	CAT	FLARE	8.2	7-3/4 (197)	4-1/2 (114)	2-5/32 (55)	2-11/16 (68)	8E6208 9J2258	8E6259 3G9609
J300	4T1300	CAT	FLARE	13.2	8-9/16 (217)	6 (152)	2-5/8 (67)	3-1/32 (77)	9J2308	8E6259 3G9549
J350	8J3350	CAT	FLARE (107-3350)	17.3	9-1/2 (241)	7 (178)	2-15/16 (75)	3-5/16 (84)	8E6358 9J2358	8E6359 3G9549 6Y9459
J400	7T3400	CAT	FLARE	25.6	10-5/16 (262)	8-1/4 (210)	3-15/32 (88)	3-21/32 (93)	7T3408	8E8409 7T3409
J400	7T3400	CAT	FLARE	25.0	10-5/16 (262)	8-1/4 (210)	3-15/32 (88)	3-21/32 (93)	7T3408	8E8409 7T3409
J460	8J1450	CAT	FLARE (1073450)	32.8	11-1/4 (286)	9 (229)	3-7/8 (98)	3-29/32 (99)	8E0468 6Y2527 1U1458	8E8469 6Y9459 3G9549
J550	7J9550	CAT	FLARE 1073550	59.0	13 (330)	11 (279)	4-11/16 (119)	4-11/32 (110)	8E5558 6Y8558 1U1558	8E5559 3G9549


CAT TOOTH PROFILE GUIDE



PENETRATOR

Series	ItemNumber	ProductLine	ItemDescription	Weight	A	B	C	D	Pin	Lock
J250	9J4259	CAT	PENETRATION	5.4	7-9/16 (192)		2-5/32 (55)	2-11/16 (68)	8E6208 9J2258	8E6259 3G9609
J300	9J4309	CAT	PENETRATION	8.6	8-9/16 (217)		2-5/8 (67)	3-1/32 (77)	9J2308	8E6259 3G9549
J350	9J4359	CAT	PENETRATION	11.8	9-7/8 (251)		2-15/16 (75)	3-5/16 (84)	8E6358 9J2358	8E6359 3G9549 6Y9459
J460	9J4459	CAT	PENETRATION	21.2	11-5/8 (295)		3-7/8 (98)	3-29/32 (99)	8E0468 6Y2527 1U1458	8E8469 6Y9459 3G9549
J460	9W8459	CAT	PENETRATION	21.5	11-5/8 (295)		3-7/8 (98)	3-29/32 (99)	8E0468 6Y2527 1U1458	8E8469 6Y9459 3G9549
J550	9W8559	CAT	PENETRATION	35.0	13-3/16 (335)		4-11/16 (119)	4-11/32 (110)	8E5558 6Y8558 1U1558	8E5559 3G9549
J700	4T4709	CAT	PENETRATION	75.7	16-1/2 (419)	3-1/8 (77)	6 (152)	5-11/16 (144)	4T4708	4T4707

CAT TOOTH PROFILE GUIDE



ABRASION

Series	ItemNumber	ProductLine	ItemDescription	Weight	A	B	C	D	Pin	Lock
J200	4T2203	CAT	ABRASION	3.1	5-3/4 (146)	2-3/8 (60)	1-9/16 (40)	1-27/32 (47)	9W7112 8E6208 1U4208	8E6209 4T0001
J250	4T2253	CAT	ABRASION	6.6	7-9/16 (192)	3-1/8 (79)	2-5/32 (55)	2-11/16 (68)	8E6208 9J2258	8E6259 3G9609
J300	4T2303	CAT	ABRASION	11.7	8-9/16 (217)	3-7/8 (98)	2-5/8 (67)	3-1/32 (77)	9J2308	8E6259 3G9549
J350	4T2353	CAT	ABRASION	13.2	9-1/2 (241)	4-1/2 (113)	2-15/16 (75)	3-5/16 (84)	8E6358 9J2358	8E6359 3G9549 6Y9459
J460	9W1453	CAT	ABRASION	30.0	11-5/8 (295)	5-5/8 (143)	3-7/8 (98)	3-29/32 (99)	8E0468 6Y2527 1U1458	8E8469 6Y9459 3G9549
J250	9N4253	CAT	ABRASION HD	9.5	7-7/8 (200)	2-7/16 (61)	2-5/32 (55)	2-11/16 (68)	8E6208 9J2258	8E6259 3G9609
J300	9N4303	CAT	ABRASION HD	15.9	8-9/16 (217)	3 (76)	2-5/8 (67)	3-1/32 (77)	9J2308	8E6259 3G9549
J350	9N4353	CAT	ABRASION HD	26.5	9-7/8 (251)	3-1/2 (89)	2-15/16 (75)	3-5/16 (84)	8E6358 9J2358	8E6359 3G9549 6Y9459
J400	7T3403	CAT	ABRASION HD	33.1	10-3/4 (273)	5-11/16 (144)	3-15/32 (88)	3-21/32 (93)	7T3408	8E8409 7T3409
J460	9N4453	CAT	ABRASION HD	48.9	12-1/2 (317)	5-5/8 (143)	3-7/8 (98)	3-29/32 (99)	8E0468 6Y2527 1U1458	8E8469 6Y9459 3G9549
J550	6Y2553	CAT	ABRASION HD	67.0	14 (356)	7-1/2 (191)	4-11/16 (119)	4-11/32 (110)	8E5558 6Y8558 1U1558	8E5559 3G9549
J550	9W1553	CAT	ABRASION HD	53.2	14 (356)	7-1/2 (191)	4-11/16 (119)	4-11/32 (110)	8E5558 6Y8558 1U1558	8E5559 3G9549
J600	6I6603	CAT	ABRASION HD	123.9	16-1/4 (413)	9 (229)	5-5/8 (143)	5-7/32 (133)	6I6608	6I6609

ALL MANUFACTURERS NAMES, NUMBER, SYMBOLS & DISCRIPTIONS ARE USED FOR REFERENCE PURPOSES ONLY.
IT IS NOT IMPLIED THAT ANY PART LISTED IS A PRODUCT OF THESE MANUFACTURERS.