

**ATP PRODUCT LIST #100-0220**

**Caterpillar® "J" Series**

**Uni-Tooth**

Part No.	Description	Weight
1324720	uni-tooth	4
190523	adapter, flush bolt-on (replaces 1324720) 230 tip	5.3

**J200 Series**

Part No.	Description	Weight
1959209	tooth, long utility	2.8
1U3202	tooth, long	3.1
1U3202TL	tooth, single tiger	2.9
1U3202WTL	tooth, twin tiger	2.9
1U3202F	tooth, flare	2.75
1193204	weld-on adapter, 1"	3.9
1193205	weld-on adapter, 3/4"	3.3
8E6208	pin, J200	0.1
8E6209	plastic jacket retainer, J200	0.1
BK416	J200 1" assembly, 1193204, 1U3202, 8E6208, 8E6209	7

**J225 Series**

Part No.	Description	Weight
6Y3222	tooth, long	5
6Y3224	adapter, weld-on 1"	6
6Y3228	pin	0.2
8E6259	plastic jacket retainer, J225, 250, J300	0.1

**J250 Series**

Part No.	Description	Weight
1U3252	tooth, long	6.8
1U3252SYL	tooth, symmetrical long	7
9N4252	tooth, HD long	8.6
1U3252TL	tooth, single tiger	7.3
1U3252WTL	tooth, twin tiger	7.9
3G8250	tooth, flare	8
1U0257	center adapter, bolt-on	19.8
3G4258	corner adapter, bolt-on	22.4
3G4259	corner adapter, bolt-on	22.4
6I9250	adapter, corner - 2 bolt	28.9
6I9251	adapter, corner - 2 bolt	28.9
6Y3254	adapter, weld-on 1.25"	9.5
8E6258	pin, J250	0.2
8E6259	plastic jacket retainer, J225, 250, J300	0.1

## J300 Series

Part No.	Description	Weight
1U3302	tooth, long	9.8
1U3302RC	tooth, rock chisel	10
1U3302SYL	tooth, symmetrical long	11
1U3302TL	tooth, single tiger	9.9
1U3302WTL	tooth, twin tiger	11.4
9N4302	tooth, HD long	12.3
4T1300	tooth, flare	12.1
1U0307	center adapter, bolt-on	26.2
3G4308	corner adapter, bolt-on	35.4
3G4309	corner adapter, bolt-on	35.4
8E5308	adapter, corner - 2 bolt	40
8E5309	adapter, corner - 2 bolt	40
3G6304	adapter, weld-on 1.25"	14.8
9J2308	pin, J300	0.2
8E6259	plastic jacket retainer, J225, 250, J300	0.1
BK215	J300 1.25" assembly, 3G6304, 1U3302, 9J2308, 8E6259	27.1

## J350 Series

Part No.	Description	Weight
1U3352	tooth, long	12.8
1U3352RC	tooth, rock chisel	16.9
1U3352TL	tooth, single tiger	10.8
1U3352WTL	tooth, twin tiger	15.2
9N4352	tooth, HD long	18
8J3350	tooth, flare	18.3
3G3357	center adapter, bolt-on	37.8
3G7357	center adapter, bolt-on	43.3
3G5358	corner adapter, bolt-on	53.9
3G5359	corner adapter, bolt-on	53.9
8E5358	adapter, corner - 2 bolt	54.3
8E5359	adapter, corner - 2 bolt	54.3
3G8354	adapter, weld-on 1.5"	20.6
8E6358	pin, J350	0.5
8E6359	plastic jacket retainer, J350	0.1
1U2405	retainer	0.1
BK225	J350 1.5" assembly, 3G8354, 1U3352, 8E6358, 8E6359	32.4

## J400 Series

Part No.	Description	Weight
7T3402	tooth, long	20.9
7T3402TL	tooth, single tiger	20.5
7T3402WTL	tooth, twin tiger	23.8
7T3408	pin, J400	0.8
8E8409	plastic jacket retainer, J400	0.1

**Caterpillar® - Continued****ATP PRODUCT LIST #100-0220****J450 - J460 Series**

Part No.	Description	Weight
9W8452	tooth, long	26.4
1U3452RC	tooth, rock chisel	30.6
1U3452TL	tooth, single tiger	25.3
1U3452WTL	tooth, twin tiger	29.3
8J1450	tooth, flare	37
8E6464	adapter, weld-on 2"	45.7
8E0468	pin, J460	1
8E8469	plastic jacket retainer, J460	0.1
BK235	J460 2" assembly, 8E6464, 9W8452, 8E0468, 8E8469	71.1

**J550 Series**

Part No.	Description	Weight
9W8552	tooth, long	40.3
1U3552RC	tooth, rock chisel	52.8
1U3552TL	tooth, single tiger	41.8
1U3552WTL	tooth, twin tiger	44.1
3G9494	adapter, weld-on 2.5"	91.8
6Y8558	pin	1.4
8E5559	plastic jacket retainer	0.2

**J600 Series**

Part No.	Description	Weight
6I6602	tooth, long	65
6I6602RC	tooth, rock chisel	64.9
6I6604	adapter, weld-on 3"	107.4
6I6608	pin	2.4
6I6609	plastic jacket retainer	0.2

**Caterpillar® Compactor Parts****815 Model**

Part No.	Description	Weight
2V7053	foot, dirt weld-on	7.7
4V3851	foot, rock weld-on	8.5
5V4311	finger shank	22
8K9189	foot, bolt-on	7.2
1062047	815 cleaner bar	17.5
8K9163	Bolt, star head, 5/8"	0.2
7K3607	5/8" Nut	0.1
5S0581	Washer - thick - 5/8"	0.1
7K3607	5/8" Nut	0.1

**825 Model**

Part No.	Description	Weight
2V6628	foot, dirt weld-on	12.1

**Caterpillar® Ripper Parts**

Part No.	Description	Weight
6Y0309	tooth, penetration	11.9
6Y0359	tooth, penetration	25.3
6Y5230	tooth, scarifier	3.4
6Y5230HD	tooth, scarifier heavy duty	3.8
9F5124	scarifier shank	11.5
9J6583	pin, R300	0.4
9J8923	ripper shank	125
9W2452	tooth, centerline	41
4T5502	tooth	72.8
6Y1204	pin	1.9
6Y1202	retainer	0.3
6Y3394	pin	1.1

**ESCO® Conical Style**

**18 Series**

Part No.	Description	Weight
18TL	tooth	2.2
18PN	pin	0.1
18LK	lock	0.1

**25 Series**

Part No.	Description	Weight
25S	tooth	4.9
25/30LK	lock	0.1
25/30PN	pin	0.2

**30 Series**

Part No.	Description	Weight
30S	tooth	5.5
30VIP	tooth, single tiger	6.7
25/30LK	lock	0.1
25/30PN	pin	0.2

**35 Series**

Part No.	Description	Weight
35S	tooth	8.8
35PN	pin	0.3
35/40LK	lock	0.1

**40 Series**

Part No.	Description	Weight
40S	tooth	12
40PN	pin	0.5
35/40LK	lock	0.1

**ESCO® Super V Series**

**V17 Series**

Part No.	Description	Weight
V17TYL	tooth	2.4
V13-17PN	flex pin	0.9

**V19 Series**

Part No.	Description	Weight
V19SYL	tooth, symmetrical long (use V23PN)	4.8
5854-V19	adapter, weld-on 1"	7.5
V23PN	flex pin	0.1

**V23 Series**

Part No.	Description	Weight
V23SYL	tooth, symmetrical long	7.4
V23TVY	tooth, twin tiger	7.4
V23VY	tooth, single tiger	6.2
V23PN	flex pin	0.1
5849-V23	adapter, weld-on 1.25"	12.4

<b>V29 Series</b>		
Part No.	Description	Weight
V29VY	tooth, single tiger	8.5
V29TVY	tooth, twin tiger	9.9
V29PN	flex pin	0.3

<b>V33 Series</b>		
Part No.	Description	Weight
V33SYL	tooth, symmetrical long	15.4
V33TVY	tooth, twin tiger	13.9
V33VY	tooth, single tiger	11.9
V33PN	flex pin	0.36
5855-V33	adapter, weld-on 1.5"	24.3

<b>V39 Series</b>		
Part No.	Description	Weight
V39SYL	tooth, symmetrical long	22.4
V39VY	tooth, single tiger	17.2
V39TVY	tooth, twin tiger	19.6
V39PN	flex pin	0.5
5856-V39	adapter, weld-on 2"	32.3

<b>V43 Series</b>		
Part No.	Description	Weight
V43SYL	tooth, symmetrical long	28.2
V43VY	tooth, single tiger	23.9
V43TVY	tooth, twin tiger	28
V43PN	flex pin	0.7
5856-V43	adapter, weld-on 2"	47.7

<b>V51 Series</b>		
Part No.	Description	Weight
V51SYL	tooth, symmetrical long	33.9
V51VT	tooth, single tiger	32
V51PN	flex pin	0.9

**H&L® Style****2A Series**

Part No.	Description	Weight
2ACAST	tooth	1.3
2AF-H	adapter flush mount with hole	1.2
2AP	pin	0.01

**230 Series**

Part No.	Description	Weight
23HD	tooth, fabricated	2.2
230SP	tooth	2.8
230ST	star tooth	3
23TL	tiger long tooth	2.4
23THD	tiger heavy duty tooth	2.5
23WTL	twin tiger long tooth	2.6
23W	flare tooth	3.4
23P	flex pin	0.1
TF23P	flex pin, long	0.1
2740-MW-23	adapter, weld-on 3/4"	4.3
U43792	adapter, weld-on 1"	3
2300FL	adapter flush mount weld-on	4
TB100123	adapter, weld-on tooth bar	4.7
A140	Flush mount assy - 2300FL adapter, 230SP, 23P	6.8
A162	Tooth bar assy - TB100123 adapter, 230SP, 23P	7.2
U43792A	Backhoe assy - 1" U43792, 230SP, 23P	6.2

**240 Series**

Part No.	Description	Weight
24HD	fabricated tooth	3.5
240	tooth	4
240F	flare tooth	5
240010	adapter, weld-on 1"	5.5
24P	flex pin	0.1

**250 Series**

Part No.	Description	Weight
250	tooth	6.6
250TW	twin tiger long tooth	6.3
2500125	adapter, weld-on 1.25" (2740W25)	7.8
25P	flex pin	0.14
TF25P	flex pin, long	0.18

**Hensley® Style****156 Series**

Part No.	Description	Weight
156	tooth, short	1.7
156L	tooth, long	1.9
156LP	tooth, heavy long	3.5
156T	tooth, single tiger	2.2
156WT	tooth, twin tiger	3.5
156F	tooth, flare	2.9
156P	roll pin	0.05
156POS2	roll pin, oversized .45"	0.05
230X156	adpater, weld-on 5/8"	3.4
552X156	adapter, weld-on 3/4"	4.6
550X156	adapter, weld-on 1"	4.6
550X156A	backhoe assy - 1" 550X156, 156, 156P	6.6

**220 Series**

Part No.	Description	Weight
220	tooth, long	7.3
160P	roll pin	0.2

**290 Series**

Part No.	Description	Weight
290	tooth, long	9.5
290F	tooth, flare	9.6
290T	tooth, single tiger	8.3
290WT	tooth, twin tiger	9.9
K290S	steel keeper	0.3
290P	flex pin	0.3
127X290	adapter, weld-on 1.25"	22.1
158X290	adapter, weld-on 1.5"	22.1

**330 Series**

Part No.	Description	Weight
330	tooth, long	13.4
330F	tooth, flare	18.9
330T	tooth, single tiger	11.2
330WT	tooth, twin tiger	14.3
330P	flex pin	0.4
K330S	steel keeper	0.4
158X330	adapter, weld-on 1.5"	33.4

**370 Series**

Part No.	Description	Weight
370	tooth, long	17.6
K370S	steel keeper	1.2

**400 Series**

Part No.	Description	Weight
400	tooth, long	18.8
802X400	adapter, weld-on 2"	46.2
400PHD	flex pin	0.4

All manufacturers' names, numbers, symbols and descriptions are used for reference purposes only.

It is not implied that any part listed is the product of these manufacturers.



**Hensley® Style****410 Series**

Part No.	Description	Weight
410	tooth, long	20.9
410P	flex pin	0.9
K410S	steek keeper	1.2

**Bobcat® Style**

Part No.	Description	Weight
6737324	flush mount adapter, bolt-on	4.5
6737325	tooth	2
6808770	adapter, bolt-on 1/2" (156 series)	4.2
7102097	tooth, wide	6
7107320	tooth, single tiger	3.9
7107321	tooth, twin tiger	4.9
7107324	adapter, bolt-on 1/2"	3.9
23P	flex pin	0.1

**John Deere® Style**

Part No.	Description	Weight
T103189	tooth, long	6
T112195	pin	0.1
T112196	retainer	0.1
T114792	scarifier shank	15

**Bucket Side Cutter**

Part No.	Description	Weight
7Y0203	side cutter, 4 hole - Cat® style	16.9
7Y0204	side cutter, 4 hole - Cat® style	16.9
7Y0357	side cutter, 3 hole - Cat® style	44.6
7Y0358	side cutter, 3 hole - Cat® style	44.6
0964747	side cutter, 4 hole - Cat® style	24.6
0964748	side cutter, 4 hole - Cat® style	24.6
1122487	side cutter, 4 hole - Cat® style	58
1122488	side cutter, 4 hole - Cat® style	58
CE17748-L3	side cutter, 3 hole - Esco® style	49
CE17748-R3	side cutter, 3 hole - Esco® style	49
T1156A	side cutter, 6 hole - Esco® style	59
T1157A	side cutter, 6 hole - Esco® style	59
B330RH	side cutter, 4 hole - Hensley® style	54.5
B331LH	side cutter, 4 hole - Hensley® style	54.5
106762	side cutter, 3 hole - Skid steer bucket	8.4
106763	side cutter, 3 hole - Skid steer bucket	8.4

**Bucket Wear Shrouds**

Part No.	Description	Weight
138-6551	heel shroud - Cat® style	27
157-1027	heel shroud - Cat® style	63.5
280-4078	heel shroud - Cat® style	10.6
PDE31329	wear shroud, 3 hole - Esco® style	36.8
PDE34687	wear shroud, 3 hole - Esco® style	15.7
ES6697-4	heel shroud - Esco® style	22.4

**Hardware, Bolts & Nuts**

Part No.	Description	Weight
3F5108	5/8" x 2-1/4" Plow Bolt (625225)	0.21
4F3656	5/8" x 2-1/2" Plow Bolt (625250)	0.24
4K0367	5/8" Plow Nut (PN625)	0.07
7H3607	5/8" Segment Nut	0.1
5S0581	5/8" Washer, thick	0.1
8K9163	5/8" Bolt, star head	0.2
5J4771	3/4" x 2-3/4" Plow Bolt (750225)	0.38
1J6772	3/4" x 3" Plow Bolt (750300)	0.41
2J3506	3/4" Plow Nut (PN750)	0.11
5J2049	7/8" x 3" Plow Bolt (875300)	0.55
2J3505	7/8" Plow Nut (PN875)	0.18
4F4042	1" x 3" Plow Bolt (100300)	0.76
8J2928	1" x 4" Plow Bolt (100400)	0.97
2J3507	1" Plow Nut (PN100)	0.27
8J2933	1" taper nut	0.3
5P8823	1-1/4" x 4-1/8" Plow Bolt	1.7
5P8361	1-1/4" x 5" Plow Bolt	1.9
3K9770	1-1/4" Plow Nut	0.5

All manufacturers' names, numbers, symbols and descriptions are used for reference purposes only.

It is not implied that any part listed is the product of these manufacturers.

**Hardware, Bolts & Nuts**

Part No.	Description	Weight
5P8362	1-1/4" Taper Nut	0.6
1592953	16mm Flat Head Screw	0.1
8T4778	16mm Lock Nut	0.1

**Additional Parts and Services for Heavy Industry**

**We offer additional manufacturing capabilities in the following categories**

<b>CONSTRUCTION</b>	Trackpads / Castings / Forged Parts / Bushings
<b>MINING</b>	Trackpads / Undercarriage
<b>RECYCLING</b>	Shredder parts / Hammers / Grates
<b>AGGREGATE</b>	Crushers / Blowbars / Cones / Liners
<b>WEAR RESISTANT MATERIALS</b>	High Chrome / Ni-Hard / Manganese



Phone: 470.268.8037  
WWW.ALLTECHPRO.US  
4730 Hammermill Rd. Ste. B,  
Tucker, GA 30084